


学号	姓名	提交时间	总分	成绩
20225102010229	顾轩豪	2024-05-04 21:35:46	100	65

1. 【简答题】

得分：65/100

### 夏日阅读，心中自有清凉



```

学生答案：<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>-----</title>
<style>
  body {
    font-family: Arial, sans-serif;
  }
  .container {
    max-width: 800px;
    margin: 0 auto;
    padding: 20px;
  }
  h1 {
    text-align: center;
  }
  .product {
    display: flex;
    justify-content: space-between;
    margin-bottom: 20px;
  }
  .product img {
    max-width: 100px;
    margin-right: 20px;
  }
  button {
    padding: 5px 10px;
    background-color: dodgerblue;
    color: white;
    border: none;
    cursor: pointer;
  }
  button:hover {
    background-color: royalblue;
  }
</style>
</head>
<body>

<div class="container">

```

```
<h1>网页</h1>
<div class="product">
  
  <div>
    <h3>商品1</h3>
    <p>$50.00</p>
    <button onclick="addToCart(1)">购买</button>
  </div>
</div>
<div class="product">
  
  <div>
    <h3>商品2</h3>
    <p>$70.00</p>
    <button onclick="addToCart(2)">购买</button>
  </div>
</div>
<div class="product">
  
  <div>
    <h3>商品3</h3>
    <p>$100.00</p>
    <button onclick="addToCart(3)">购买</button>
  </div>
</div>
<h2>购物车</h2>
<ul id="cartItems">
</ul>
</div>

<script>
  const cartItems = document.getElementById('cartItems');

  function addToCart(productId) {
    let productName;
    let productPrice;
    switch (productId) {
      case 1:
        productName = 'Product 1';
        productPrice = 50.00;
        break;
      case 2:
        productName = 'Product 2';
        productP
```

参考答案：商品展示页面，商品详情等