

学号	姓名	提交时间	总分	成绩
-	曲昭美怡	2023-04-17 11:20:35	100	100

1.【简答题】

得分 : 100/100

部门表dept

```
(  
  
    deptno—部门号, deptname—部门名称  
  
)
```

员工表emp

```
(  
  
    empno—员工号, empname—姓名, age—年龄, deptno—部门号,  
  
    sex—性别, salary—薪水, indate—入职日期, phone手机号  
  
)
```

- 1.创建部门表， deptno—部门号是主键， 部门名称不能为空。 **15分**
- 2.创建员工表， deptno—部门号是外键， phone手机号不能为空 且唯一， 员工号是主键且自增1。 **25分**
- 3.向二张表中添加数据， 员工号不用填写信息采用自增。 **10分**
- 4.查询员工在30-40岁之间的员工姓名和薪水信息。 **5分**
- 5.查找员工名字中第二个字母是t的员工姓名及年龄。 **5分**
- 6.查找工资大于2000的男员工姓名和员工号。 **5分**
- 7.查询员工信息， 如果手机号为null就显示没添加号码， 不为null就正常显示。 **5分**
- 9.去重名查询出所有员工的姓名信息。 **5分**
- 10.查询出员工表中工资是300, 400, 500, 600的员工姓名和手机号信息。 **5分**
- 11.查询出没有得到工资的员工的所有信息。 **5分**

12.查询出姓名是“张”开头的,且年龄>20的,有奖字金的员工姓名和手机号。 5分

13.查询员工姓名中不带R的,且年龄不等于12的女员工的手机号。 5分

14.查询部门号是100,年龄不在20到30之间的员工的姓名。 5分

```
学生答案 : CREATE table dept(  
    deptno int PRIMARY key,  
    deptname varchar(20) not null  
)  
  
CREATE table emp(  
    empno int PRIMARY key auto_increment,  
    empname varchar(20),  
    age int,  
    deptno int,  
    sex varchar (20),  
    salary int ,  
    indate DATE,  
    phone varchar (20) not null unique,  
    CONSTRAINT bb FOREIGN KEY(deptno) REFERENCES dept(deptno)  
)  
INSERT into dept VALUES (1445,'abc')  
INSERT into emp(empname,age,deptno,sex,salary,indate,phone) VALUES ('a',18,1445,'男',1000,'2022-1-1',131313158)  
SELECT empname,salary from emp where age BETWEEN 30 and 40  
SELECT empname,age from emp where empname like '_t%'  
SELECT empname,empno from emp where sex='男' and salary > 2000  
SELECT IFNULL(phone,'没添加号码') from emp  
SELECT DISTINCT empname from emp  
SELECT empname,phone from emp where salary in (300,400,500)  
SELECT * from emp where salary is null  
SELECT empname,phone from emp WHERE empname LIKE '张%' and age > 20 and salary is not null  
SELECT phone from emp where empname NOT LIKE '%r%' and age != 12 and sex = '女'  
SELECT empname from emp where deptno = 100 and age not BETWEEN 20 and 30
```

参考答案 : 创建表及查询