

学号	姓名	提交时间	总分	成绩
20225102010232	邵心禹	2023-12-28 19:42:16	100	100

1. 【简答题】 1.新创建目录 a/b/c目录

得分：100/100

- 2.分别在a目录下创建a1.txt,b目录下创建b1.txt,c目录下创建c1.txt
- 3.编辑a1.txt文件添加字符串"abc"
- 4.查看a1.txt文件内容
- 5.把a1.txt复制一个a2.txt,把a2.txt到c目录里
- 6.把b目录复制到c目录里
- 7.在a目录里查看c目录下的所有（包含隐藏文件）文件及目录的详细信息（权限，大小，时间，文件名）
- 8.用互动模式，删除c目录下的b目录
- 9.删除c目录

上面的题放在word里每人个题都要截图

学生答案：

```

[www@Server-ce6f0d06-504e-4e06-826d-e728944e399e testing]$ mkdir test
[www@Server-ce6f0d06-504e-4e06-826d-e728944e399e testing]$ ll
total 4
drwxrwxr-x 2 www www 4096 Mar  2 11:40 test
[www@Server-ce6f0d06-504e-4e06-826d-e728944e399e testing]$ mkdir test1 test2
[www@Server-ce6f0d06-504e-4e06-826d-e728944e399e testing]$ ll
total 12
drwxrwxr-x 2 www www 4096 Mar  2 11:40 test
drwxrwxr-x 2 www www 4096 Mar  2 11:40 test1
drwxrwxr-x 2 www www 4096 Mar  2 11:40 test2
[www@Server-ce6f0d06-504e-4e06-826d-e728944e399e testing]$ mkdir ./test/test3
[www@Server-ce6f0d06-504e-4e06-826d-e728944e399e testing]$ ll
total 12
drwxrwxr-x 3 www www 4096 Mar  2 11:41 test
drwxrwxr-x 2 www www 4096 Mar  2 11:40 test1
drwxrwxr-x 2 www www 4096 Mar  2 11:40 test2
[www@Server-ce6f0d06-504e-4e06-826d-e728944e399e testing]$ cd test
[www@Server-ce6f0d06-504e-4e06-826d-e728944e399e test]$ ll
total 4
drwxrwxr-x 2 www www 4096 Mar  2 11:41 test3
[www@Server-ce6f0d06-504e-4e06-826d-e728944e399e test]$

```

```

[root@lam39 ~]# ls -la
total 20
dr-xr-xr-x.  17 root root  224 Oct 31 08:11 .
dr-xr-xr-x.  17 root root  224 Oct 31 08:11 ..
lrwxrwxrwx.   1 root root    7 Oct 31 08:03 bin -> usr/bin
dr-xr-xr-x.   4 root root 4096 Oct 31 08:14 boot
drwxr-xr-x.  20 root root 3220 Nov 17 10:50 dev
drwxr-xr-x.  78 root root 8192 Nov 11 09:03 etc
drwxr-xr-x.  14 root root  196 Oct 31 15:00 home
lrwxrwxrwx.   1 root root    7 Oct 31 08:03 lib -> usr/lib
lrwxrwxrwx.   1 root root    9 Oct 31 08:03 lib64 -> usr/lib64
drwxr-xr-x.   2 root root    6 Mar 10 2016 media
drwxr-xr-x.   3 root root   19 Nov 11 06:23 mnt
drwxr-xr-x.   2 root root    6 Mar 10 2016 opt
dr-xr-xr-x. 217 root root    0 Nov 17 10:50 proc
dr-xr-xr-x.   2 root root  201 Oct 31 15:13 root
drwxr-xr-x.  25 root root  720 Nov 17 10:50 run
lrwxrwxrwx.   1 root root    8 Oct 31 08:03 sbin -> usr/sbin
drwxr-xr-x.   2 root root    6 Mar 10 2016 srv
dr-xr-xr-x.  13 root root    0 Nov 17 10:50 sys
drwxrwxrwt.  11 root root 4096 Nov 17 10:50 tmp
dr-xr-xr-x.  13 root root  155 Oct 31 08:03 usr
1 #!/bin/bash
2 echo -e "{" > test-json.txt
3 echo -e "\t\"name\": \"xukai871105\"" >> test-json.txt
4 echo -e "}" >> test-json.txt

```

```
文件(F) 编辑(E) 查看(V) 搜索(S) 终端(T) 帮助(H)
[lzn@linuxprobe ~]$ nl /etc/profile
1 # /etc/profile
2 # System wide environment and startup programs, for login setup
3 # Functions and aliases go in /etc/bashrc
4 # It's NOT a good idea to change this file unless you know what you
5 # are doing. It's much better to create a custom.sh shell script in
6 # /etc/profile.d/ to make custom changes to your environment, as this
7 # will prevent the need for merging in future updates.
8 pathmunge () {
9     case "${PATH}:" in
10        *:"$1":*)
11            ;;
12        *)
13            if [ "$2" = "after" ] ; then
14                PATH=$PATH:$1
15            else
16                PATH=$1:$PATH
17            fi
18        esac
19 }
```

```
(py35) xyy@user1:~/VehicleReID/VehicleReID$ mv "/home/xyy/VehicleReID/VehicleReID/" "/home/xyy/VehicleReID/"
mv: "/home/xyy/VehicleReID/VehicleReID/" and "/home/xyy/VehicleReID/VehicleReID/" are the same file
(py35) xyy@user1:~/VehicleReID/VehicleReID$ mv "/home/xyy/VehicleReID/VehicleReID/" "/home/xyy/1/"
(py35) xyy@user1:~/VehicleReID/VehicleReID$ mv "/home/xyy/1/VehicleReID/open-VehicleReID-master" "/home/xyy/VehicleReID/"
(py35) xyy@user1:~/VehicleReID/VehicleReID$ mv "/home/xyy/1/VehicleReID/resNet50" "/home/xyy/VehicleReID/"
(py35) xyy@user1:~/VehicleReID/VehicleReID$ mv "/home/xyy/1/VehicleReID/SFT_ReID" "/home/xyy/VehicleReID/"
(py35) xyy@user1:~/VehicleReID/VehicleReID$ mv "/home/xyy/1/VehicleReID/SFT_Vehicle" "/home/xyy/VehicleReID/"
(py35) xyy@user1:~/VehicleReID/VehicleReID$ mv "/home/xyy/1/VehicleReID/SFT_Vehicle_VehicleID" "/home/xyy/VehicleReID/"
(py35) xyy@user1:~/VehicleReID/VehicleReID$ mv "/home/xyy/1/VehicleReID/Vehicle-ReID-baseline-master" "/home/xyy/VehicleReID/"
(py35) xyy@user1:~/VehicleReID/VehicleReID$ mv "/home/xyy/1/VehicleReID/Vehicle-ReID-softwaredataset" "/home/xyy/VehicleReID/"
使用 bat 脚本来复制文件夹和文件
```

```
覆盖 F:\autotomcat\content.txt <Y:是/N:否/A:全部>?Y
H:\ceshi\content.txt
复制了 1 个文件
请按任意键继续. . .
http://blog.csdn.net/nihaoqiulinhe
```

```
File Edit View Search Terminal Help
zero@zero-virtual-machine:~$ ls -a
. Desktop .mozilla .swp
. Documents Music Templates
bash_history Downloads .pam_environment Videos
bash_logout examples.desktop Pictures .xinputrc
bashrc .gnupg .profile
cache .ICEauthority Public
config .local .sudo_as_admin_successful
ero@zero-virtual-machine:~$
```

参考答案：上面的题放在word里每人个题都要截图