

学号	姓名	提交时间	总分	成绩
20225102050109	许钰野	2023-11-16 16:10:30	100	100

1. 【简答题】完成修改功能：

得分：100/100

id: name:
 关键字查找:

id	name	time	操作
10	zs	Thu Nov 16 2023 14:39:29 GMT+0800 (中国标准时间)	删除 修改
20	lgg	Thu Nov 16 2023 14:39:29 GMT+0800 (中国标准时间)	删除 修改
23	wwl	Thu Nov 16 2023 14:39:29 GMT+0800 (中国标准时间)	删除 修改
24	gf	Thu Nov 16 2023 14:39:29 GMT+0800 (中国标准时间)	删除 修改

学生答案：<1DoCTYPE html> <html>

```

<head>
<meta charset="utf-8" /> <title> </title>
<script src="js/v2.6.10/vue.js"> </script> <style>
.a{
background-color: skyblue;
.b {
background-color: yellow;
.c {
background-color: aqua;
</style>
</head>
cbody>
<div id="one">
id: <input type="text" v-model="id" v-bind:class="{c :true}" v-bind:disabled="flag"> name: <input type="text" v-model="name">
关键字查找: <input type="text" v-model="keyword"> <input type="button" value="添加" @click="xia"> <br /> <br />
<TABLE width="80%" v-bind:border="1" bordercolor="red" cellspacing="1">
<TR>
<TD>id</TD> <TD>name</TD> <TD>time</TD> <TD>操作</TD> </TR>
<TR v-for="(u,i) in cha2(keyword)" v-bind:class="{i%2==0?a:'b'}">
<TD>{u.id}</TD>
<TD>{u.name}</TD> <TD>{u.time}</TD> <TD>
<a href="#" @click.prevent="del2(u.id)">删除</a> <a href="#" @click.prevent="update(u.id)">修改</a> </TD>
</TR> </TABLE> </div>
<script>
var vm=new vue({
el: "#one",
b: 2,
keyword: "",id: "",
name: "",f: false,arr: [
{id: 10,"name": "zs", "time": new Date()},{id: 28,"name": "lgg","time": new Date()},{id: 23,"name": "wwl","time": new Date()},{id: 24,"name": "gf","time": new Date()
}
methods: {
xia(){
if(this.f ms false){
this.arr.push({id: this.id,"name": this.name, "time": new Date()});
else {
this.arr.some((item) =>{
if(item.id m this.id){
item.name = this.name;return true;
}
});
this.cha2(this.name);
}
,
del(id) {
this.arr.some((u,i)=>{
if (u.id a= id){
this.arr.splice(i,1);return true;
}
}
del2(id){
var index =this.arr.findIndex((u,is)=>{
if (u.id a= id){
return true;
}
}
}

```

```
,
this.arr.splice(index,1);
cha(h)i
var arrs =new Array();
this.arr.fonEach((u,i)=>{
1/"u.name.indeof 《"》0if (u.name.indexOf(R)1=-1){
arrs.push(u);
arrs.push(u);
)
)
return arrs;},
cha2(P){
vac arr=this.arr.filter(function ()f
if (u.name.includes(R)){
return uj
}
)
return arr;},
update(id){
this.f = true;
var arr = this.arr.filter(function (item){
return item.id mas id;
});
this.id = arr[e].id;this.name = arr[0].name;
)
} </script></ body>
</htm1>
```

参考答案：完成修改功能