

学号	姓名	提交时间	总分	成绩
-	白鲜赫	2023-03-22 19:39:26	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

```
学生答案： // (4)
int a=13;
int b=5;
System.out.println("a/b="+a/b); // a/b=2
System.out.println("a%b="+a%b); // a%b=3

int A=13;
int B=5;
System.out.println("A++="+A++); //A++=13
System.out.println("++B="+(++B)); //++B=6
System.out.println("A="+A); //A=14
System.out.println("B="+B); //B=6
// (5)
short s=1;
1) 写法1 s=s+1;
2) 写法2 s +=1;
有什么不同? s是变量

// (6)
System.out.println(10%2); //0
System.out.println(10%3); //1
System.out.println(3%10); //3

System.out.println(-10%2); //0
System.out.println(10%-3); //1
System.out.println(-3%-10); //-3

System.out.println(100%2); //0
System.out.println(-10%3); //-1
System.out.println(3%45678978); //3
```

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	陈彤彤	2023-03-23 11:27:17	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

学生答案 : 4.a/b =2 a%b=3

a++=13 ++b=6 a=14 b=6

5.s=s+1报错 s是变量 s=(short)(s+1)

6.1 -3 0 -1 3

参考答案 : 运算符作业

学号	姓名	提交时间	总分	成绩
-	丁梓薇	2023-03-23 13:21:40	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

```
学生答案:  int A=13;
            int B=5;
            System.out.println("A++="+ (A++) ); //A++=13
            System.out.println("++B="+ (++B) ); //++B=6
            System.out.println("A="+A ); //A=14
            System.out.println("B="+B ); //B=6
            // (5)
            short s=1;
            1)  写法1      s=s+1;
            2)  写法2      s +=1;
            有什么不同?  s是变量
            // (6)
            System.out.println(10%2); //0
            System.out.println(10%3); //1
            System.out.println(3%10); //3

            System.out.println(-10%2); //0
            System.out.println(10%-3); //1
            System.out.println(-3%-10); //-3
            // (4)
            int a=13;
            int b=5;
            System.out.println("a/b="+ (a/b) ); // a/b=2
            System.out.println("a%b="+ (a%b) ); // a%b=3

            int A=13;
            int B=5;
            System.out.println("A++="+ (A++) ); //A++=13
            System.out.println("++B="+ (++B) ); //++B=6
            System.out.println("A="+A ); //A=14
            System.out.println("B="+B ); //B=6
            // (5)
```

```
short s=1;
```

```
1) 写法1      s=s+1;
```

```
2) 写法2      s +=1;
```

```
有什么不同?  s是变量
```

```
// (6)
```

```
System.out.println(10%2); //0
```

```
System.out.println(10%3); //1
```

```
System.out.println(3%10); //3
```

```
System.out.println(-10%2); //0
```

```
System.out.println(10%-3); //1
```

```
System.out.println(-3%-10); //-3
```

```
System.out.println(100%2); //0
```

```
System.out.println(-10%3); //-1
```

```
System.out.println(3%45678978); //3
```

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	杜雨欣	2023-03-22 21:33:32	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

学生答案: [屏幕截图\\_20230322\\_213232 - 快捷方式.zip](#)

参考答案: 运算符作业

学号	姓名	提交时间	总分	成绩
-	丰国铭	2023-03-22 23:06:59	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```


```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

学生答案：



```
int b=5;
System.out.println("a/b="+(a/b)); // a/b=2
System.out.println("a%b="+(a%b)); // a%b=3

int A=13;
int B=5;
System.out.println("A++="+(A++)); //A++=13
System.out.println("++B="+(++B)); //++B=6
System.out.println("A="+A); //A=14
System.out.println("B="+B); //B=6
// (5)


// (6)
System.out.println(100%2); //0
System.out.println(10%3); //1
System.out.println(3%10); //3

System.out.println(-10%2); //0
System.out.println(10%-3); //1
System.out.println(-3%-10); //-3

System.out.println(100%2); //0
System.out.println(-10%3); //-1
```

Console Output:

```
8000
a/b=2
a%b=3
A++=13
++B=6
A=14
B=6
0
1
3
0
1
-3
0
-1
3
```



```
int A=13;
int B=5;
System.out.println("A++="+(A++)); //A++=13
System.out.println("++B="+(++B)); //++B=6
System.out.println("A="+A); //A=14
System.out.println("B="+B); //B=6
// (5)

short s=1;
1) 写法1 s=s+1; |
2) 写法2 s +=1;
有什么区别? 都是变量

// (6)
System.out.println(100%2); //0
System.out.println(10%3); //1
System.out.println(3%10); //3

System.out.println(-10%2); //0
System.out.println(10%-3); //1
System.out.println(-3%-10); //-3

System.out.println(100%2); //0
System.out.println(-10%3); //-1
```

Console Output:

```
8000
a/b=2
a%b=3
A++=13
++B=6
A=14
B=6
0
1
3
0
1
-3
0
-1
3
```

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	付佳琪	2023-03-23 15:20:10	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

学生答案 : 4. "a/b="+a/b) 2 , "a%b="+a%b) 3  
"a++="+a++) 13 , "++b="+(++b) 16 , "a="+a 14 , "b="+b 6  
5. s是变量. s= (short) (s+1)  
6. 1 -3 0 -1 3

参考答案 : 运算符作业

学号	姓名	提交时间	总分	成绩
-	宫彤	-	100	-

1. 【简答题】

得分：0/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：未作答

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	郭博文	2023-03-22 22:07:54	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

学生答案 : 4. a/b=2

a%b=3

a++=13

++b=6

a=14

b=6

5. s=s+2是变量 s+=2由java强制转换

6. 0 1 3

0 1 -3

0 -1 3

参考答案 : 运算符作业

学号	姓名	提交时间	总分	成绩
-	矫晓震	2023-03-24 17:49:22	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

学生答案 : //(1)

```
System.out.println("3+"+3); //3+3
System.out.println("3+"+3+3); //3+33
System.out.println("3+"+(3+3)); //3+6
System.out.println(3+"3"+"+(3+3)); //33+6
System.out.println(3+3+"3"+"+(3+3)); //63+6

int i=100;
int w=10;
System.out.println("i="+i+"",[ "+w+" ]="+w); //i=100,[10]=10
System.out.println("i="+"+i+"[w]="+w); //i='100[w]=10
System.out.println("i="+i+" ,w="+w); //i=100,w=10
//(2)
int I=1;
```

参考答案 : 运算符作业

学号	姓名	提交时间	总分	成绩
-	李金璐	2023-03-23 13:56:37	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

学生答案：

```
// (4)
int a=13;
int b=5;
System.out.println("a/b="+a/b); // a/b=2
System.out.println("a%b="+a%b); // a%b=3

int A=13;
int B=5;
System.out.println("A++="+A++); //A++=13
System.out.println("++B="+++B); //++B=6
System.out.println("A="+A); //A=14
System.out.println("B="+B); //B=6
// (5)
short s=1;
1) 写法1    s=s+1;
2) 写法2    s +=1;
有什么不同?    s是变量

// (6)
System.out.println(10%2); //0
System.out.println(10%3); //1
System.out.println(3%10); //3

System.out.println(-10%2); //0
System.out.println(10%-3); //1
System.out.println(-3%-10); //-3

System.out.println(100%2); //0
System.out.println(-10%3); //-1
System.out.println(3%45678978); //3
```

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	李叙醇	2023-03-22 21:44:17	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

学生答案 : 4. a/b=2

a%b=3

a++=13

++b=6

a=14

b=6

5. s=s+2是变量 s+=2由java强制转换

6. 0 1 3

0 1 -3

0 -1 3

参考答案 : 运算符作业

学号	姓名	提交时间	总分	成绩
-	刘健伟	-	100	-

1. 【简答题】

得分：0/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：未作答

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	齐珈悦	2023-03-23 13:37:32	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：

```
int B=5;
System.out.println("A++="+ (A++) );//A
System.out.println("++B="+ (++B) );//+
System.out.println("A="+A );//A=14
System.out.println("B="+B );//B=6
//(5)
short s=1;
1) 写法1    s=s+1;
2) 写法2    s +=1;
有什么不同?  s是变量
//(6)
System.out.println(10%2); //0
System.out.println(10%3); //1
System.out.println(3%10); //3

System.out.println(-10%2); //0
System.out.println(10%-3); //1
```

```
package four;
```

```
public class a {
```

```
//(3)
```

```
int i=8940;
int j=8940/1000*1000;
System.out.println(j); //8000
//(4)
int a=13;
int b=5;
System.out.println("a/b="+ (a/b) );//
System.out.println("a%b="+ (a%b) );//

int A=13;
int B=5;
System.out.println("A++="+ (A++) );//A
```

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	司晓锐	2023-03-22 21:20:50	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```


```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```


```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：



```
public static void main(String[] args) {  
  
    //%  
    int a=13;  
    int b=5;  
    System.out.println("a/b="+ (a/b)); //a/b=2  
    System.out.println("a%b="+ (a%b)); //a%b=3  
  
    int e=13;  
    int f=5;  
    System.out.println("e++="+ (e++)); //e++=13  
    System.out.println("++f="+ (++f)); //++f=6  
    System.out.println("e="+ e); //e=14  
    System.out.println("f="+ f); //d=6  
  
    //+=  
    short s=1;  
    1) 写法 s=s+1;  
    2) 写法 s+=1;  
    //上面得强转，要不然有很多值，s=(short)(s+1)，底下已经是强转完的
```



```
//+=  
short s=1;  
1) 写法 s=s+1;  
2) 写法 s+=1;  
//上面得强转，要不然有很多值，s=(short)(s+1)，底下已经是强转完的  
  
//%  
System.out.println(10%2); //0  
System.out.println(10%3); //1  
System.out.println(3%10); //3  
  
System.out.println(-10%2); //0  
System.out.println(10%-3); //1  
System.out.println(-3%-10); //-3  
  
System.out.println(100%2); //0  
System.out.println(-10%3); //-1  
System.out.println(3%45678978); //3
```

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	王涵	-	100	-

1. 【简答题】

得分：0/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：未作答

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	王洪业	2023-03-22 20:08:30	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

**System.out.println(100%2);**

**System.out.println(-10%3);**

**System.out.println(3%45678978);**

学生答案：

```
public class dd {
    public static void main(String[] args) {
        // %
        int a=13;
        int b=5;
        System.out.println("a/b="+ (a/b)); // a/b=2
        System.out.println("a%b="+ (a%b)); // a%b=3

        int c=13;
        int d=5;
        System.out.println("c++="+ (c++)); // c++=13
        System.out.println("++d="+ (++d)); // ++d=6
        System.out.println("c="+ c); // c=14
        System.out.println("d="+ d); // d=6

        // +=
        short s=1;
        1) 写法1 s=s+1;
        2) 写法2 s +=1;
        //上面得强转，要不然有很多值， s=(short)(s+1)，底下已经是强转完了的

        // %
        System.out.println(10%2); //0
        System.out.println(10%3); //1
        System.out.println(3%10); //3

        System.out.println(-10%2); //0
        System.out.println(10%-3); //1
        System.out.println(-3%-10); //-3

        System.out.println(100%2); //0
        System.out.println(-10%3); //-1
        System.out.println(3%45678978); //3
    }
}
```

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
15044071408	王泽宇	-	100	-

1. 【简答题】

得分：0/100

**运算符作业**

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：未作答

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	夏浩然	-	100	-

1. 【简答题】

得分：0/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：未作答

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	许贺	-	100	-

1. 【简答题】

得分：0/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：未作答

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	许钰野	-	100	-

1. 【简答题】

得分：0/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：未作答

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	于淼	-	100	-

1. 【简答题】

得分：0/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：未作答

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	张函玉	2023-03-23 13:38:06	100	100

1. 【简答题】

得分 : 100/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```


```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```


```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：



```
public static void main(String[] args) {  
    //(4)  
    int a=13;  
    int b=5;  
    System.out.println("a/b="+a/b); // a/b=2  
    System.out.println("a%b="+a%b); // a%b=3  
  
    int A=13;  
    int B=5;  
    System.out.println("A++="+A++); //A++=13  
    System.out.println("++B="+++B); //++B=6  
    System.out.println("A="+A); //A=14  
    System.out.println("B="+B); //B=6  
    //(5)  
    short s=1;  
    s=s+1;  
    s +=1;  
    |s是变量  
    //(6)  
    System.out.println(10%2); //0  
    System.out.println(10%3); //1  
    System.out.println(3%10); //3  
  
    System.out.println(-10%2); //0  
    System.out.println(10%-3); //1  
    System.out.println(-3%-10); //-3  
  
    System.out.println(100%2); //0  
    System.out.println(-10%3); //-1  
}
```



```
System.out.println("a/b="+a/b); // a/b=2  
System.out.println("a%b="+a%b); // a%b=3  
  
int A=13;  
int B=5;  
System.out.println("A++="+A++); //A++=13  
System.out.println("++B="+++B); //++B=6  
System.out.println("A="+A); //A=14  
System.out.println("B="+B); //B=6  
//(5)  
short s=1;  
s=s+1;  
s +=1;  
|s是变量  
//(6)  
System.out.println(10%2); //0  
System.out.println(10%3); //1  
System.out.println(3%10); //3  
  
System.out.println(-10%2); //0  
System.out.println(10%-3); //1  
System.out.println(-3%-10); //-3  
  
System.out.println(100%2); //0  
System.out.println(-10%3); //-1  
System.out.println(3%45678978); //3  
}
```

参考答案：运算符作业

学号	姓名	提交时间	总分	成绩
-	张伟	-	100	-

1. 【简答题】

得分：0/100

### 运算符作业

4)%

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a/b="+a/b);
```

```
System.out.println("a%b="+a%b)
```

```
int a=13;
```

```
int b=5;
```

```
System.out.println("a++="+a++);
```

```
System.out.println("++b="+++b);
```

```
System.out.println("a="+a);
```

```
System.out.println("b="+b);
```

5)// +=

```
short s=1;
```

1) 写法1 s=s+1;

2) 写法2 s +=1;

有什么不同？

6) // %

```
System.out.println(10%2);
```

```
System.out.println(10%3);
```

```
System.out.println(3%10);
```

```
System.out.println(-10%2);
```

```
System.out.println(10%-3);
```

```
System.out.println(-3%-10);
```

```
System.out.println(100%2);
```

```
System.out.println(-10%3);
```

```
System.out.println(3%45678978);
```

学生答案：未作答

参考答案：运算符作业