

学号	姓名	提交时间	总分	成绩
20225102010420	王显达	2023-11-07 19:33:13	100	94

1. 【简答题】 定义数组 : students:[

得分 : 94/100

"李雷",

"lucy",

"韩梅梅",

"lili"

]

通过 v-for 指令, 将数据显示到页面上

学生答案 : <!DOCTYPE html>

```
<html>
<head>
<meta charset="UTF-8">
<title></title>
<script src="js/vue.js"></script>
</head>
<body>
<div id="app">
<div v-for="item in students">
  {{item}}
</div>
<ul>
<li v-for=" item in students">{{item}}</li>
</ul>
<ul>
<li v-for="(item,index)in students":key="index">{{index+1}}.</li>
</ul>
</div>

<script type="text/javascript">
var vm = new Vue({
  el:'#app',
  data:{
    students:[
      "李雷",
      "韩梅梅",
      "lucy",
      "lili"
    ]
  }
})
</script>
</body>
</html>
```

参考答案： <div id="app">

```
<div v-for=" item in students">
```

```
  {{item}}
```

```
</div>
```

```
<ul>
```

```
<li v-for=" item in students">{{item}}</li>
```

```
</ul>
```

```
<ul>
```

```
<li v-for=" (item,index ) in students ":key="index"> {{index+1}} . {{item}}</li>
```

```
</ul>
```

```
</div>
```

```
<script type="text/javascript">
```

```
var vm = new Vue({
```

```
  el:'#app',//选择器: id 样式、元素选择器等 但元素选择器不能绑定body html元素
```

```
  data:{
```

```
    students:[
```

```
      "李雷",
```

```
      "韩梅梅",
```

```
      "lucy",
```

```
      "lili"
```

```
    ]
```

```
  }
```

```
});
```

```
</script>
```